

**QUARTZ III**  
**REF : QUARTZ3**



**Description:**

UV-resistant high density polypropylene safety helmet. Polyamide lining : 3 textile bands with 8 fixing points. Sweat band. Ratchet adjustment : head measurement 53 to 63 cm. 2 possible positions of the head measurement (top/low) for a better comfort. This helmet may receive the following accessories: JUGALPHA, or DYNAMIC JUGALPHA MENTALPHA

**Materials:**

Polypropylene (PP)  
Weight: 351 g

**Sizes:** Adjustable

**Colours:** Blue, Green, Orange, Red, White, Yellow

**CE** EN397 EN50365

**QUARTZ IV**  
**REF : QUARTZ4**



**Description:**

Ventilated UV-resistant high density polypropylene (PP) safety helmet. Polyamide harness: 3 textile bands with 8 fixing points. Foam sweat band. Ratchet adjustment : head sizes 53/63 cm. 2 possible positions of the headband (top/low) for a better comfort. This helmet may receive the following accessories: JUGALPHA, or DYNAMIC JUGALPHA MENTALPHA.

**Materials:**

Polypropylene (PP)  
Weight: 360 g

**Sizes:** Adjustable

**Colours:** Blue, Green, Orange, Red, White, Yellow

**CE** EN397

**DIAMOND V BASEBALL STYLE**  
**REF : DIAMONDV**



**Description:**

ABS safety helmet. Innovative "baseball cap" shape to improve the vertical vision. Also tested for front back wearing, to reduce encumbrance. Textile harness: 3 textile straps with 8 fixing points. Foam sweat band. Innovative button adjustment "color to color" for head sizes 53/63 cm. 2 possible positions of the headband (top/low) for a better comfort. Electrical insulation. Fluo colors and retroreflective bands for high visibility day and night. This helmet is validated with the following accessories: JUGALPHA, DYNAMIC JUGALPHA or MENTALPHA.

**Materials:**

ABS  
Weight : 368 g

**Sizes:** Adjustable

**Colours:** Black, Blue, Green, Orange, Red, White, Yellow

**CE** EN397 EN 50365



**GRANITE WIND**  
**REF : GRANITEWING**



**Description:**

Ventilated ABS safety helmet. Mountain helmet style : without visor for the best vertical vision. Less encumbrance. Light. Innovative textile harness for extra comfort. Thermoformed sweat band. Innovative adjustable ROTOR® system (patented) : head sizes 53 to 63 cm. Sold with 3 fixing points chin strap.

**Materials:**

ABS

**Weight :** 355 g

**Sizes:** Adjustable

**Colours:** Black, Blue, Orange, Red, White, Yellow

**CE** EN397

**WINTER CAP**  
**REF : WINTERCAP**



**Description:**

Lining placed inside the helmet. Accessory for extreme cold protection, easy to remove. User instructions included. Suitable for our range of helmets.

**Materials:**

Outside: artificial leather.

Inside: artificial plush (100%polyester.)

**Sizes:** Adjustable

**Colours:** Black

**CE**

**VISOR HOLD-MINI**  
**REF : VISORHOLDMINI**



**Description:**

Faceshield holder suitable for GRANITE WIND safety helmets. To combine with VISORPCMINI and VISORGMINI.

**Materials:**

ABS  
Weight: 160 g

**CE** EN166

**SUPERVIZOR**  
**REF : SUPERVIZOR**



**Description :**

Compatible with wide range of helmet designs (size, shape and geometry) • Visor fixing method is secure and allows easy visor replacement • Creased visor eliminates gaps and visor profile follows contours of the face for maximum protection, allowing full unrestricted head movement • Visor selection can be tailored to the specific hazard/application: mechanical, chemical, heat etc • A robust, heavy-duty, helmet mounted faceshield range with hearing protection compatibility

**CE** EN166

**VISORTORIC**  
**REF : VISORTORIC**



**Description:**

Clear polycarbonate injected visor. Thickness 1,9/2,0 mm. Electric Arc protection. Universal fixing. Suitable for faceshield holder VISOR HOLDER and VIROR H (BALB12 and PICO2 support). 39 x 20 cm.

**Materials:**

Polycarbonate  
162 g

**Sizes:** Single

**Colours:** Colourless

**CE** EN170 EN166

**BARRIER**  
**REF : BARRIER**



**Description:**

Helmet for electric arc welding, MIG, TIG that requires DIN9 to DIN13 protection. Polypropylene. Sweat band. Headband with easy ratchet adjustment. Vision shield : 100 x 60 mm. LCD filter included. Shades : Clear : DIN4 - Dark : DIN9 to DIN13. Sensitivity : 0,0003s. (Clear shade to dark shade). Powered by solar cells and 2 replaceable lithium batteries included.

**Materials:**

Polypropylene  
LCD lens

**Colours:** Blue

**CE** EN166 EN379 EN175

**BALBI2**  
**REF : BALBI2**



**Description:**

Faceshield with front protection + VISORPC visor : clear polycarbonate visor with plastic edge. 39 x 20 cm.

**Materials:**

Polycarbonate

**Sizes:** Single

**Colours:** Yellow

**CE** EN166

**MSA HELMET**  
**REF : MSA HELMET**



**Description:**

Classic original "v" shape, ensuring excellent resistance to impact and puncture resistance; Use high-quality raw materials, regardless of the PE or ABS materials all materials. Extended visor design, additional shading effect, reducing glare, dust-proof and dirt, chemicals and so on, enhanced eye protection and face;

**Material:** ABS

**Sizes:** Adjustable

**Colours:** orange, red, blue, yellow, white

**CE**

**HELMET LINER**  
**REF : HELMET LINER**



**Description:**

Applicable to industry of electric power, chemicals, mining, construction, geological and transportation machinery, and other industries. Hoods can be used with any helmets

GB2811-2007 standards;

**Sizes:** Single

**Colours:** Black

EN166 EN 367

**NECK WARMER**  
**REF : NECK WARMER**



**Description:**

Windproof winter cycling outdoors in winter special days, face covered when it is cold; it can also be pulled down, pulled up to the Chin or nose, based on actual usage changes. Can also be used as a hat and a scarf. used to protect the face and neck, soft, comfortable. It can be used when you ride bicycles, skiing, mountain climbing and other outdoor sports.

**Sizes:** Single

**Colours:** height 25cm width 25cm

CE